

2008 SPECIALIZED FSR FORK SETUP MATRIX

| RIDER WEIGHT | LBS (KG) | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 265 | 280 | 295 | |
|--|--------------------------------------|---|------|------|------|------|------|------|------|------|------|--|------|-------|-------|-------|-------|-------|-------|-------|--|
| | | (45) | (50) | (54) | (60) | (64) | (68) | (73) | (77) | (82) | (86) | (91) | (95) | (100) | (104) | (109) | (113) | (120) | (127) | (134) | |
| E150 Sag (%): 18-33 Sag (mm): 37.5-45 Travel (mm): 150 | (AFR PSI): | 65 | 68 | 71 | 74 | 77 | 80 | 84 | 88 | 92 | 96 | 100 | 104 | 108 | 112 | 116 | 120 | 124 | 128 | 132 | |
| | AFR Rebound (Clicks from full fast): | 0 | | | | | 1-2 | | | | | 3-4 | | | | | | | | | |
| | Compression: | Climbing / Smooth hard pack: <i>Full firm</i> | | | | | | | | | | Downhill / Technical: <i>Full soft</i> | | | | | | | | | |

| RIDER WEIGHT | LBS (KG) | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | >240 | | |
|--|---|--|------|------|------|------|------|------|------|------|------|--|------|-------|-------|-------|--|--|
| | | (45) | (50) | (54) | (60) | (64) | (68) | (73) | (77) | (82) | (86) | (91) | (95) | (100) | (104) | (109) | | |
| S120 Sag (%): 18-33 Sag (mm): 26-34 Travel (mm): 120 | (AFR PSI): | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 110 | 120 | | |
| | AFR Rebound (Rotations from full slow): | 2 | | | | | 1.5 | | | | | 1 | | | | | | |
| | Compression (<i>Brain</i>): | Loose gravel / Muddy: <i>1 rotation out from full firm</i> | | | | | | | | | | Downhill / Technical: <i>5 clicks out from full firm</i> | | | | | | |
| | | All other terrain: <i>Full firm</i> | | | | | | | | | | | | | | | | |



= Faster rebound / Softer compression



= Slower rebound / Firmer compression

NOTE: Air pressures and rebound/compression settings are suggested recommendations only, to provide a starting point for the rider. Adjust for preference.

NOTE: Color coding matches Sag Meter colors.

SPECIALIZED BICYCLE COMPONENTS

15130 Concord Circle, Morgan Hill, CA 95037 (408) 779-6229

Please note all instructions are subject to change for improvement without notice.

Rev.2, January 2008

